

**CITY & BOROUGH OF WRANGELL, ALASKA  
WRANGELL HARBOR ANODES**

**ADDENDUM TO THE CONTRACT**

---

Addendum No:	3	Current Bid Opening Date: October 2, 2023 at 2:00 P.M.
Pages This Addendum:	1	
Previous Addenda:	2	Previous Bid Opening Date: October 2, 2023 at 2:00 P.M.

---

To: All Planholders of Record

September 27, 2023

The contract documents are modified as indicated herein. All other terms and conditions remain unchanged. Bidders are required to acknowledge this addendum on the Bid Proposal. Make the following changes to the contract documents:

**PROJECT MANUAL**

1. SECTION 00100 – INSTRUCTIONS TO BIDDERS

Section 00100 - Instruction to Bidders, Section 8.0 Bid Form, Paragraph I. **Replace** the paragraph in its entirety with the following: “I. A Bid for the WORK will not be accepted from a contractor who does not hold a valid Alaska Business License and a valid Contractor’s License in Alaska (applicable to the type of work bid upon).”

Section 00100 – Instructions to Bidders, Section 8.0 Bid Form, Paragraph J. **Delete** paragraph J in its entirety.

2. SECTION 02996 – PILE ANODES

Part 2 – Products, 2.1 ANODES, Paragraph D. **Replace** paragraph D in its entirety with the following: “D. Individual anodes shall have a weight of aluminum within +/- 3% of the **net** weight described for each anode type. A minimum of 10% of the number of each anode type shall be weighed by the CONTRACTOR or anode manufacturer in the presence of the ENGINEER to confirm compliance. The CONTRACTOR may also use measurements in lieu of physically weighing the anodes.”

**END OF ADDENDUM NO. 3**